

Inventor Information for 10/629797

| Inventor Name | City | State/Country |
|--------------------|-----------|---------------|
| WU, DAVID CHAO HUA | SAN DIEGO | CALIFORNIA |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)[Inventors](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Inventor Name Search Result

Your Search was:

Last Name = WU

First Name = DAVID

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|-------------------------|--------|------------|---|---------------|
| 07341670 | Not Issued | 161 | 04/21/1989 | RACK FOR HOLDING PINS AND THE LIKE IN DUMBBELL-SHAPED HOLES BY A PRESS-FIT | WU, DAVID |
| 08276292 | Not Issued | 161 | 07/18/1994 | METHOD AND APPARATUS FOR POSITION MONITORING | WU, DAVID |
| 08429633 | Not Issued | 161 | 04/27/1995 | MECHANICAL SAFETY LOCK | WU, DAVID |
| 08831478 | 5968194 | 150 | 03/31/1997 | METHOD FOR APPLICATION OF WEIGHTED RANDOM PATTERNS TO PARTIAL SCAN DESIGNS | WU, DAVID |
| 08898151 | 5836195 | 150 | 07/22/1997 | AUTOMATIC CUTTER ROTATING MECHANISM FOR WIRE FORMING MACHINE | WU, DAVID |
| 08923996 | 5952693 | 150 | 09/05/1997 | CMOS SEMICONDUCTOR DEVICE COMPRISING GRADED JUNCTIONS WITH REDUCED JUNCTION CAPACITANCE | WU, DAVID |
| 08924644 | 6137137 | 150 | 09/05/1997 | CMOS SEMICONDUCTOR DEVICE COMPRISING GRADED N-LDD JUNCTIONS WITH INCREASED HCI LIFETIME | WU, DAVID |
| 08979364 | 6114210 | 150 | 11/26/1997 | METHOD OF FORMING SEMICONDUCTOR DEVICE COMPRISING A DRAIN REGION WITH A GRADED N-LDD JUNCTION WITH INCREASED HCI LIFETIME | WU, DAVID |
| 08993059 | Not Issued | 161 | 12/18/1997 | CMOS PROCESS TO FORM SHALLOW LDD JUNCTIONS AND SOURCE/DRAIN JUNCTIONS SIMULTANEOUSLY | WU, DAVID |
| 09044073 | 6000712 | 250 | 03/19/1998 | FOLDING COLLAPSIBLE GOLF CART | WU, DAVID |
| 09044079 | 5819355 | 250 | 03/19/1998 | CLUB HEAD BRUSH | WU, DAVID |
| 09044081 | Not Issued | 161 | 03/19/1998 | GOLF BAG WITH A HOOD | WU, DAVID |
| 09063363 | 6017052 | 150 | 04/21/1998 | FOLDING COLLAPSIBLE FRAME ASSEMBLY FOR A GOLF CART | WU, DAVID |

| | | | | | |
|-----------------|----------------|-----|------------|---|-----------|
| <u>09063365</u> | <u>6003956</u> | 150 | 04/21/1998 | WHEEL MOUNTING ARRANGEMENT FOR A GOLF CART | WU, DAVID |
| <u>09075785</u> | Not Issued | 161 | 05/12/1998 | COIN GUIDE SHELL FOR A COIN-ACTUATED MACHINE | WU, DAVID |
| <u>09113328</u> | Not Issued | 161 | 07/10/1998 | ELECTRIC WIRING BEARING BOARD MOUNTING ARRANGEMENT FOR A GAME MACHINE | WU, DAVID |
| <u>09124120</u> | Not Issued | 161 | 07/29/1998 | GOLF BAG CRADLE MOUNTING ARRANGEMENT | WU, DAVID |
| <u>09124506</u> | <u>6059300</u> | 150 | 07/29/1998 | AUXILIARY WHEEL HOLDER FOR GOLF CARTS | WU, DAVID |
| <u>09134955</u> | Not Issued | 161 | 08/17/1998 | ASH-TRAY AND RACK MOUNTING ARRANGEMENT FOR A GAME MACHINE | WU, DAVID |
| <u>09136063</u> | <u>6126182</u> | 150 | 08/19/1998 | WHEEL HOLDER ASSEMBLY AND MAIN SHAFT ARRANGEMENT OF A GOLF CART | WU, DAVID |
| <u>09136064</u> | Not Issued | 161 | 08/19/1998 | TELESCOPIC INDIVIDUAL GOLF CLUB RECEPTACLE | WU, DAVID |
| <u>09136563</u> | Not Issued | 161 | 08/19/1998 | GOLF BAG COVERING | WU, DAVID |
| <u>09175991</u> | <u>6082756</u> | 150 | 10/21/1998 | SUPPORTING FRAME STRUCTURE OF A GOLF CART | WU, DAVID |
| <u>09176215</u> | Not Issued | 161 | 10/21/1998 | ADJUSTABLE BAG CRADLE FOR A GOLF CART | WU, DAVID |
| <u>09176221</u> | <u>6019324</u> | 150 | 10/21/1998 | BAG CRADLE FOR A GOLF CART | WU, DAVID |
| <u>09179941</u> | Not Issued | 161 | 10/28/1998 | HANDLEBAR FOR A GOLF CART | WU, DAVID |
| <u>09187428</u> | <u>6232208</u> | 150 | 11/06/1998 | SEMICONDUCTOR DEVICE AND METHOD OF MANUFACTURING A SEMICONDUCTOR DEVICE HAVING AN IMPROVED GATE ELECTRODE PROFILE | WU, DAVID |
| <u>09187683</u> | <u>6029494</u> | 150 | 11/05/1998 | SPRING PRODUCING DEVICE | WU, DAVID |
| <u>09226200</u> | Not Issued | 161 | 01/07/1999 | SCORING BOARD ASSEMBLY FOR A GOLF CART | WU, DAVID |
| <u>09229983</u> | <u>6021895</u> | 150 | 01/14/1999 | CLUB RACK AND GOLF BAG ARRANGEMENT | WU, DAVID |
| <u>09276130</u> | Not Issued | 161 | 03/25/1999 | ADJUSTABLE HANDLEBAR MOUNTING ARRANGEMENT FOR A GOLF CART | WU, DAVID |
| <u>09317981</u> | <u>6152463</u> | 150 | 05/25/1999 | HANDLE MOUNTING ARRANGEMENT FOR A GOLF CART | WU, DAVID |
| <u>09325628</u> | <u>6107149</u> | 150 | 06/04/1999 | CMOS SEMICONDUCTOR DEVICE COMPRISING GRADED JUNCTIONS WITH REDUCED JUNCTION | WU, DAVID |

| | | | | | |
|--------------------------|-------------------------|-----|------------|---|-----------|
| | | | | CAPACITANCE | |
| 09352339 | 6351013 | 150 | 07/13/1999 | LOW-K SUB SPACER POCKET FORMATION FOR GATE CAPACITANCE REDUCTION | WU, DAVID |
| 09360080 | 6098444 | 150 | 07/22/1999 | WIRE OUTPUT CENTRAL SHAFT OF A WIRE BENDING MACHINE | WU, DAVID |
| 09360081 | Not Issued | 161 | 07/22/1999 | WIRE INPUT STRUCTURE OF A WIRE BENDING MACHINE | WU, DAVID |
| 09360082 | 6101860 | 150 | 07/22/1999 | SHAPING DEVICE OF A WIRE BENDING MACHINE | WU, DAVID |
| 09382580 | 6277698 | 150 | 08/25/1999 | METHOD OF MANUFACTURING SEMICONDUCTOR DEVICES HAVING UNIFORM, FULLY DOPED GATE ELECTRODES | WU, DAVID |
| 09428550 | 6189979 | 150 | 10/28/1999 | WHEEL MOUNTING ARRANGEMENT FOR A GOLF CLUB CARRIER | WU, DAVID |
| 09428552 | 6164506 | 250 | 10/28/1999 | ADJUSTABLE SCOREBOARD MOUNTING ARRANGEMENT FOR A GOLF CART | WU, DAVID |
| 09436262 | 6199691 | 250 | 11/09/1999 | GOLF CART AND PARTITION RACK ARRANGEMENT | WU, DAVID |
| 09523627 | Not Issued | 161 | 03/13/2000 | Method for decreasing inconsistencies in anti-reflective coating films | WU, DAVID |
| 09523633 | Not Issued | 161 | 03/13/2000 | Method for forming an anti-reflective layer by ion implantation | WU, DAVID |
| 09526890 | 6273452 | 250 | 03/16/2000 | Structure for golf cart | WU, DAVID |
| 09543099 | Not Issued | 161 | 04/04/2000 | Upper bag cradle for golf cart | WU, DAVID |
| 09558173 | Not Issued | 161 | 04/26/2000 | Method of manufacturing a semiconductor device with reduced gate electrode rounding and shallow ldd junctions | WU, DAVID |
| 09583888 | 6273250 | 250 | 05/31/2000 | Golf bag with a foldaway chair | WU, DAVID |
| 09588320 | 6318354 | 150 | 06/06/2000 | Singulation system for a BGA product | WU, DAVID |
| 09610962 | Not Issued | 161 | 07/06/2000 | Upper golf bag cradle for a golf cart | WU, DAVID |
| 09634579 | 6402097 | 150 | 08/08/2000 | UPPER GOLF BAG CRADLE FOR A GOLF CART | WU, DAVID |

[Search and Display More Records.](#)

Search Another: Inventor
Last Name
First Name

WU
DAVID

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

http://expoweb1:8002/cgi-bin/expo/InvInfo/invquery.pl?FAM_NAM=WU&GIV_NAM=DAVID

7/6/06

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IEEE STD = IEEE Standard

1. **A new approach to VHF/FM broadcast receiver using digital signal processing techniques**
Taura, K.; Tsujishita, M.; Tsuji, M.; Asano, E.; Ishida, M.;
Consumer Electronics, IEEE Transactions on
Volume 46, Issue 3, Aug. 2000 Page(s):751 - 757
IEEE JNL
2. **An FM demodulation algorithm with an undersampling rate**
Yiyuan Xiong; Yi Huang; Ralph, J.F.; Al-Nuaimy, W.; Pu Sun;
Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03). 2003 IEEE International Conference on
Volume 6, 6-10 April 2003 Page(s):VI - 245-8 vol.6
IEEE CNF
3. **System on chip FPGA design of an FM demodulator using a Kalman band-pass sigma-delta architecture**
Charoensak, C.; Abeysekera, S.S.;
Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on
23-26 May 2005 Page(s):33 - 36 Vol. 1
IEEE CNF
4. **FPGA Implementation of efficient Kalman band-pass sigma-delta filter for application in FM demodulation**
Charoensak, C.; Abeysekera, S.S.;
SOC Conference, 2004. Proceedings. IEEE International
12-15 Sept. 2004 Page(s):137 - 138
IEEE CNF
5. **Bandpass sigma-delta (/spl Sigma/-/spl Delta/) architecture based efficient FM demodulator for software radio**
Abeysekera, S.S.;
Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Symposium on
Volume 4, 23-26 May 2004 Page(s):IV - 381-4 Vol.4
IEEE CNF

 Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Thu, 6 Jul 2006, 1:14:56 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

| | | Results |
|----|--|---------|
| #1 | (wu d.<in>au) | 212 |
| #2 | (((wu d.<in>au))<AND>(fm<in>metadata)) | 1 |
| #3 | ((fm demodulation)<in>metadata) | 79 |
| #4 | (((fm demodulation)<in>metadata)<AND>(quadrature<in>metadata)) | 5 |
| #5 | (((fm demodulation)<in>metadata)<AND>(quadrature<in>metadata)) | 5 |
| #6 | (((fm demodulation)<in>metadata)<AND>(quadrature<in>metadata)) | 5 |
| #7 | (((fm demodulation)<in>metadata)<AND>(quadrature<in>metadata)) | 5 |